

NOTICE TO BIDDERS

Notice is hereby given that sealed bids will be received by the Township of South Brunswick, for the Fresh Impressions Road Improvements – Phase II, Bid No. 23-05, and will be opened and read in public at the Municipal Building, 540 Ridge Road, Monmouth Junction, New Jersey 08852 on **Thursday, March 30, 2023 at 11:00 A.M.**, prevailing time.

The work includes the furnishing of all labor, material and equipment necessary or required to complete all work set forth in these Specifications and shown on the Plans. The estimated item quantities are summarized as follows:

| <u>ITEM</u>  | <u>APPROXIMATE ESTIMATED<br/>QUANTITY</u> |
|--|---|
| 1. Mobilization  | LS  |
| 2. Clearing Site   | LS  |
| 3. Temporary Soil Erosion and Sediment Control                   | LS  |
| 4. Temporary Inlet Filters, Type “2”                             | 33 UN                                     |
| 5. New Concrete Driveway Apron, 6" Thick (Reinforced)            | 25 SY                                     |
| 6. Petrotec Paving Fabric, 12" Wide                              | 500 LF                                    |
| 7. Pavement Milling, 2" Depth                                    | 15,500 SY                                 |
| 8. Hot Mix Asphalt, 9.5M64 Surface Course, 2" Thick              | 3,000 TN                                  |
| 9. Hot Mix Asphalt, 9.5M64 Leveling Course, Var. Thickness       | 50 TN                                     |
| 10. Hot Mix Asphalt Pavement Repair, 19M64 Base Course, 5" Thick | 300 SY                                    |
| 11. Polymerized Joint Adhesive                                   | 7,800 LF                                  |
| 12. Replacement Concrete Sidewalk, 4" Thick                      | 900 SY                                    |
| 13. Replacement Concrete Driveway Apron, 6" Thick (Reinforced)   | 1,000 SY                                  |
| 14. Replacement Concrete Vertical Curb                           | 13,800 LF                                 |
| 15. Detectable Warning Surface (Cast-In-Place)                   | 17 SY                                     |
| 16. Maintain Drainage from Existing Inlet                        | LS  |
| 17. Traffic Stripes, Long Life Thermoplastic, 4" Wide            | 1,600 LF                                  |
| 18. Pavement Milling, 2" to 4" Depth                             | 9,200 SY                                  |
| 19. Reconstruct Inlet  | 28 UN                                     |
| 20. Reconstruct Manhole  | 1 UN                                      |
| 21. Bicycle Safe Grate “ECO”                                     | 10 UN                                     |
| 22. Inlet Head, Type “N-ECO”                                     | 17 UN                                     |
| 23. Inlet or Manhole Repair                                      | 4 UN                                      |
| 24. Reset Casting using Existing Casting                         | 8 UN                                      |
| 25. Replacement Manhole Casting (Labeled)                        | 25 UN                                     |
| 26. Remove and Replace 15" RCP, CL-V                             | 170 LF                                    |
| 27. 15" RCP, Pipe Joint Repair                                   | 4 UN                                      |
| 28. Replace Inlet Casting Complete                               | 12 UN                                     |
| 29. New Poured Concrete Channel In Manhole                       | 1 UN                                      |

NOTICE TO BIDDERS (Continued)

|      |   |          |
|------|---|----------|
| 30.  | Reinforced Concrete Lintel  | 5 UN     |
| 31.  | TV Inspection of Storm Sewer Lines                                    | 760 LF   |
| 32.  | Remove and Replace 14" x 23 " ERCP, CL-IV                             | 16 LF    |
| 33.  | New Inlet, Type "B"   | 3 UN     |
| 34.  | New Sign with Post (R1-1)   | 6 UN     |
| 35.  | New Sign with Post (R1-5b)  | 6 UN     |
| 36.  | New Sign with Post (S1-1) & (W16-9P)                                  | 6 UN     |
| 37.  | Topsoil, 4" Thick, Fertilizer, Seed, and Straw Mulch                  | 5,500 SY |
| 38.  | 6" Sump Pump and Header Pipe  | 500 LF   |
| 39.  | New 15" RCP, CL-IV  | 600 LF   |
| 40.  | 4" PVC Sump Pump Lateral and Cleanouts                                | 5 UN     |
| 41.  | Hot Mix Asphalt Driveway Replacement                                  | 200 SY   |
| 41a. | Concrete Driveway Replacement, 6" Thick Reinforced                    | 15 SY    |
| 41b. | Temporary HMA (9.5M64) Sidewalk, 4' Wide, 1½" Thick                   | 135 SY   |
| 42.  | 8" Diameter DIP Water main  | 4,100 LF |
| 43.  | Wet Tap with Valve and Valve Box, 8" x 8"                             | 2 UN     |
| 44.  | Wet Tap with Valve and Valve Box, 14" x 8"                            | 1 UN     |
| 45.  | No Bid Item   | N/A      |
| 46.  | No Bid Item   | N/A      |
| 47.  | 8" Gate Valve and Valve Box   | 20 UN    |
| 48.  | 8" x 8" Ductile Iron Tee  | 4 UN     |
| 49.  | No Bid Item   | N/A      |
| 50.  | 8" Ductile Iron Bend  | 45 UN    |
| 51.  | 8" x 6" Reducer   | 2 UN     |
| 52.  | 8" End Cap  | 3 UN     |
| 53.  | Sanitary Sewer Cleanout in Sidewalk                                   | 5 UN     |
| 54.  | No Bid Item   | N/A      |
| 55.  | Concrete Encasement   | 50 LF    |
| 56.  | Concrete Cradle   | 5 UN     |
| 57.  | Replace Curb Stop, Box, and Rod (Sidewalk or Pavement Area)           | 5 UN     |
| 58.  | Fire Hydrant Assembly   | 11 UN    |
| 59.  | Replace Water Services to include Curb Stop and Box                   | 50 UN    |
| 60.  | Replace Curb Stop, Box and Rod (Grass Areas)                          | 31 UN    |
| 61.  | Abandon Existing 8" CLDIP Water Main In-Place                         | 4,100 LF |
| 62.  | Cut Existing 8" CLDIP Water Main, Remove Valve and Add<br>Spool Piece | 2 UN     |
| 63.  | Remove Wet Tap and Connect to 8" DIP Water Main                       | 1 UN     |
| 64.  | Re-installation of Irrigation Piping and Sprinkler Heads (In-Kind)    | AL       |
| 65.  | Seal Sanitary Sewer Manhole Chimney                                   | 2 UN     |
| 66.  | Seal Leaks and Epoxy Coat Sanitary Sewer Manhole                      | 1 UN     |
| 67.  | Line 8" ACP Sanitary Sewer  | 800 LF   |
| 68.  | Dense Graded Aggregate (Bedding)                                      | 50 CY    |
| 69.  | Trench Stabilization Material   | 50 LF    |
| 70.  | Test Pits   | 5 UN     |

NOTICE TO BIDDERS (Continued)

|     |                                       |    |
|-----|---------------------------------------|----|
| 71. | Cleaning and Restorations             | LS |
| 72. | Traffic Directors / Flaggers          | LS |
| 73. | Uniformed Police Traffic Directors    | AL |
| 74. | Maintenance and Protection of Traffic | LS |
| 75. | Performance and Payment Bond          | LS |
| 76. | Contract Closeout Documentation       | FP |
| 77. | Asphalt Price Adjustment              | AL |
| 78. | Fuel Price Adjustment                 | AL |

Plans, Specifications and forms of bid for the proposed work prepared by Richard A. Alaimo Associates, Municipal Engineer, have been filed in the office of said ENGINEER, at 200 High Street, Mount Holly, New Jersey, and may be inspected by prospective bidders during the regular business hours. Bidders will be furnished with a copy of the Specifications, Plans and Proposal by the ENGINEER at the cost of preparation thereof, \$110.00, nonrefundable; plus \$10.00 postage and handling if mailed. Checks shall be made payable to RICHARD A. ALAIMO ASSOCIATES.

Bids must be made on the standard Proposal form in the manner designated therein and must be enclosed in a sealed envelope bearing the name and address of the bidder and the name of the project on the outside, addressed to the Township of South Brunswick, and must be accompanied by Certified Check, Bid Bond or Cashier's Check drawn to the order of the Township of South Brunswick for ten percent (10%) of the total amount bid, provided said security need not be more than \$20,000.00. All bid guarantees shall be accompanied by an executed consent from an approved surety company, licensed to conduct business in the State of New Jersey, agreeing to furnish the required Performance and Maintenance Bond upon the award of contract.

The signed Proposal forms and bid security must be delivered to the place and on or before the hour named above. The accepted bidder must sign the contract within ten (10) days after the Notice of Award or forfeit his bid security. Bid securities will be returned to all but the three apparent lowest responsible bidders. All other bid securities will be returned within three days after awarding and signing of the contract and approval of the Contractor's Performance Bond, Saturdays, Sundays, and Holidays excepted.

This contract is subject to the provisions of the New Jersey Local Public Contracts Law, N.J.S.A. 40A:11-1, et seq.

Bidders are required to comply with the requirements of N.J.S.A. 10:5-31 et seq. and N.J.A.C. 17:27 (Affirmative Action Law); P.L. 2004, c.57 (Business Registration Act); and P.L. 2003, c.91 (Public Works Contractor Registration Act).

Sealed bids for this project are being solicited through a fair and open process in accordance with N.J.S.A. 19:44A-20.5 et seq.

NOTICE TO BIDDERS (Continued)

The right is reserved to reject any or all Proposals, in whole or in part, or to make awards to such bidder or bidders who, in the judgment of the Township of South Brunswick is the lowest responsible bidder and to waive such informalities as may be permitted by law.

BY ORDER OF THE TOWNSHIP OF SOUTH BRUNSWICK

Bryan Bidlack  
Manager