

TOWNSHIP OF SOUTH BRUNSWICK, MIDDLESEX COUNTY, NEW JERSEY

SPECIFICATIONS AND PROPOSAL

FOR

COLD WATER METERS

CONTRACT

BID NO. 23-20

BIDS TO BE RECEIVED ON OR BEFORE 2:00 P.M.

THURSDAY DECEMBER 28, 2023

AT

SOUTH BRUNSWICK TOWNSHIP MUNICIPAL BUILDING

MONMOUTH JUNCTION, NEW JERSEY 08852

**Angela Socio
PURCHASING AGENT**

NOTICE TO BIDDERS

The Township of South Brunswick invites sealed bids for:

<u>Bid No.</u>	<u>Item</u>
23-20	Cold Water Meters

Bids will be opened and read by the Purchasing Agent at the Municipal Building, 540 Ridge Road, Monmouth Junction, New Jersey on **Thursday, December 28, 2023** at 2:00 PM prevailing time. Please note that face coverings are required in the Municipal offices. All bids must be addressed and delivered to the Purchasing Agent on or by the designated hour.

Specifications may be obtained from the Township's Finance Office by calling 732-329-4000 ext. 7322, emailing asocio@sbtnj.net or visiting www.southbrunswicknj.gov.

Bids shall be enclosed in a sealed envelope addressed to the Purchasing Agent, Township of South Brunswick, Municipal Building, P.O. Box 190, Monmouth Junction, New Jersey 08852. The contract number and name must be printed on the face of the envelope.

Bids shall be made upon the Standard Proposal Form. Any bid guarantee required will be so specified in the bid documents for that item.

Attention is called to the Federal requirements regarding employment non-discrimination and safety and wage rates.

Bidders are required to comply with the requirements of **N.J.S.A. 10:5-31 et seq.** and **N.J.A.C. 17:27**.

Angela Socio
Purchasing Agent

To be advertised: **Monday August 16, 2021**
Home News & Tribune

SPECIFICATIONS AND INSTRUCTIONS TO BIDDERS FOR PROCUREMENT AND SERVICE CONTRACT

General Provisions

1. Sealed proposals will be received by the Office of the Purchasing Agent at the Municipal Building, 540 Ridge Road; Monmouth Junction, in the County of Middlesex and the State of New Jersey on **Thursday, December 28, 2023**. Bidders shall be responsible to carefully examine the specifications enclosed herein as well as the conditions under which the “**Cold Water Meters**” will be purchased. Failure to offer a complete bid, or meet all sections of this invitation, may be deemed just cause for rejection of a bid as not meeting specifications.
2. All bids must be submitted on the attached bidding form furnished by the Township and must be placed in a sealed envelope, plainly marked on the outside, “**Cold Water Meters**”. If mailed to the Township, the bid shall be addressed to the Purchasing Agent, Township of South Brunswick, Municipal Building, P.O. Box 190, Monmouth Junction, New Jersey 08852 and shall be plainly marked, “**Cold Water Meters**”. All bids shall be received prior to or at the time of bid opening, 2:00 p.m. local time. The Township will not assume any responsibility for bids forwarded by mail. It is the bidder's responsibility to see that bids are presented to the Township Official on the hour and at the place designated. Only original documents with original seals and signatures will be accepted. Facsimile transmitted documents will be rejected.
3. Bidders or their authorized agents are invited to be present when the bids are opened and read publicly at the time specified. No bid may be withdrawn after the specified opening time and date without loss of bid surety, and all bids become the property of South Brunswick Township and will not be returned to the bidders.
4. Bidders are to submit the non-collusion affidavit with the bid proposal form.
5. Bids will be received and awarded in accordance with Chapter 198 of the Public Laws of 1971, commonly referred to as the Local Public Contract Laws. (**N.J.S.A. 40A:11-1, et. seq.**)

6. The Township reserves the right to reject any or all bids if the Township deems such action to be in the best interest of the Township.

7. A certification of Contractor Non-Conflict of Interest, shall be completed and attached to the bid proposal.

8. A bid bond is not required.

9. The Township Council reserves the right to accept or reject any or all proposals, to waive irregularities and technicalities, and to award in whole or in part to the lowest responsible bidder, if it is in the best interest of the Township to do so. Without limiting the generality of the foregoing, any proposal which is incomplete, obscure, or irregular may be rejected; any proposal which omits a bid on any one or more items on the price sheet may be rejected; any proposal in which unit prices are omitted, or in which unit/total prices are unbalanced, may be rejected; any proposal accompanied by any insufficient or irregular certified check, cashier's check or bid bond may be rejected.

The Township Council will award the bid at a public meeting within sixty (60) days after the opening date. The successful bidder will be the one whose product is judged to best serve the interests of the Township when price, product and service are all considered. Bids will be awarded in accordance with Paragraphs 5, 16, 34, and 35.

The Township further reserves the right to award each item separately to the lowest responsible bidder meeting specifications or to make an award on the total bid to the bidder whose total sum is the low bid meeting specifications, whichever in the awarding authority's opinion is in the best interest of the Township.

10. The contractor shall not assign, transfer, convey, sublet, or otherwise dispose of the contract or any part thereof to anyone without the written consent of the Township of South Brunswick.

11. It is understood by all parties that if, during the life of the contract, the contractor disposes of his business concern by acquisition, merger, sale and/or transfer or by any means conveys his interest(s) to another party, all obligations are transferred to that new party. In this event, the new owner(s) will be required to submit a performance bond in the amount of the open balance of the contract.

12. No oral interpretations shall be made to any bidder as to the meaning of any of the contract documents or be effective to modify any of the provisions of the contract documents. Each and every request for an interpretation shall be made in writing and addressed and forwarded to the Purchasing Officer who may send a written instruction to all bidders.

13. The Township reserves the right to postpone the date for presentation and opening of proposals and will give written notice of any such postponement to each prospective bidder as prescribed by law.

14. Bidders shall insert prices for furnishing all of the material described. Prices shall be net including all transportation charges fully prepaid by the contractor F.O.B. destination. No additional charges will be allowed for any transportation costs resulting from partial shipments made at vendors convenience when a single shipment is ordered.

15. Delivery date of the system must be specified on the Bid Proposal Form.

16. All items must conform to the stated description and specifications. Where a special trade name or catalog name and number is specified, bidders may quote on equivalent items, but they must specify the make, identification number, and size of the same, and submit samples thereof to the Township upon request. Failure to show such additional information shall preclude the bidder from furnishing items other than those meeting the standard specifications. In the attached list of specifications, the use of a name of a manufacturer, or any specific brand or make in describing the items does not restrict bidders to that manufacturer or specific article desired; but the goods and materials on which bids are submitted must be of equal quality to those referred to and bidders must affirmatively certify to that fact, and specify that brand or make of article offered. The Township shall determine the equivalence of substitute articles and accept or reject same.

17. The make, identification number and size of articles shall be stated by the bidder when not contained in the list description and specifications.

18. Only manufactured and farm products of the United States, wherever available, shall be used on this contract in accordance with New Jersey Statutes Annotated 40A:11-18.

19. All the plans and specifications in the bid package for **Bid No. 23-20**, together with any addendum issued thereafter, shall become part of the contract awarded to the successful bidder.

20. Each bidder must submit with the bid a letter of Federal approval or Certificate of Employee Information Report approval, or Form AA-302 must be completed upon the award of the bid.

21. The attached proposal sheet(s) constitutes an approximate quantity for each item for bidders information only, and no warranty is given or implied as to the item or total quantity that will be purchased. The Township reserves the right to increase quantities by 20% at the unit price bid.

22. Bids must be signed in ink by the bidder; all quotations shall be made with a typewriter or pen and ink. Any quotation showing any erasure alteration must be initialed by the bidder in ink. Unit prices are to be inserted in spaces provided.

With the exception of power of attorney forms attached to bid bonds and consent of surety forms, only original documents with original seals and signatures will be accepted. Facsimile transmitted documents will be rejected.

23. Failure to sign the bid proposal or give all information requested may result in the bid being rejected.

24. Delivery shall be made in the stated qualities and to the designation as stated on Purchase Orders.

25. Payment will be made after a properly executed Township voucher has been received and formally approved on the voucher list by the Township Council at a subsequent regular meeting. The voucher will be certified correct by the department head who receives the goods or services.

26. No charge will be allowed for cases, boxes, carboys, bottles, etc., nor for freight expenses, expressage or cartage. No empty packages, cases, boxes, carboys, bottles, etc., will be returned to the bidder or contractor and none will be paid for by the Township.

No help for unloading of deliveries can be provided by the Township Council. Suppliers shall notify their truckers accordingly.

The Township is exempt from any sale, excise or Federal transportation taxes and the provisions of the Federal Robinson Patman Act.

27. Chapter 33 of the Public Laws of 1977 provides that no corporation or partnership shall be awarded any State, county, municipal or school district contract for the performance of any work or the furnishing of any materials of supplies, unless prior to the receipt of the bid or accompanying the bid of said corporation or partnership there is submitted a disclosure statement. The disclosure statement shall set forth the names and addresses of all stockholders in the corporation or partnership who own ten percent or more of its stock of any class, or of all individual partners in the partnership who own a ten percent or greater interest therein.

THE ATTACHED DISCLOSURE STATEMENT SHALL BE COMPLETED AND ATTACHED TO THE BID PROPOSAL.

28. The effective period for the contract will be one year unless noted otherwise in the specifications. Continuation of the terms of this contract beyond December 31st is contingent on availability of funds in the following year's budget. In the event of unavailability of such funds, the Township of South Brunswick reserves the right to cancel this contract.

29. All applicable State and Federal regulations are to be met by the successful bidder, including prevailing and minimum wage regulations. It is expected that all hourly rates used to calculate the bid will be prevailing wage rates.

30. **A Performance Bond is not required.**

31.

EXHIBIT A

MANDATORY EQUAL EMPLOYMENT OPPORTUNITY LANGUAGE

N.J.S.A. 10:5-31 et seq. (P.L. 1975, C. 127)

N.J.A.C. 17:27

GOODS, PROFESSIONAL SERVICE AND GENERAL SERVICE CONTRACTS

During the performance of this contract, the contractor agrees as follows:

The contractor or subcontractor, where applicable, will not discriminate against any employee or applicant for employment because of age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex. Except with respect to affectional or sexual orientation and gender identity or expression, the contractor will ensure that equal employment opportunity is afforded to such applicants in recruitment and employment, and that employees are treated during employment, without regard to their age, race, creed, color, national origin, ancestry, marital status, affection- al or sexual orientation, gender identity or expression, disability, nationality or sex. Such equal employment opportunity shall include, but not be limited to the following: employment, up- grading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprentice- ship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the Public Agency Compliance Officer setting forth provisions of this nondiscrimination clause.

The contractor or subcontractor, where applicable will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex.

The contractor or subcontractor will send to each labor union, with which it has a collective bargaining agreement, a notice, to be provided by the agency contracting officer, advising the labor union of the contractor's commitments under this chapter and shall post copies of the notice in conspicuous places available to employees and applicants for employment.

The contractor or subcontractor, where applicable, agrees to comply with any regulations promulgated by the Treasurer pursuant to N.J.S.A. 10:5-31 et seq., as amended and supplemented from time to time and the Americans with Disabilities Act.

The contractor or subcontractor agrees to make good faith efforts to meet targeted county employment goals established in accordance with N.J.A.C. 17:27-5.2.

The contractor or subcontractor agrees to inform in writing its appropriate recruitment agencies including, but not limited to, employment agencies, placement bureaus, colleges, universities, and labor unions, that it does not discriminate on the basis of age, race, creed, color, or national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex, and that it will discontinue the use of any recruitment agency which engages in direct or indirect discriminatory practices.

The contractor or subcontractor agrees to revise any of its testing procedures, if necessary, to assure that all personnel testing conforms with the principles of job related testing, as established by the statutes and court decisions of the State of New Jersey and as established by applicable Federal law and applicable Federal court decisions.

In conforming with the targeted employment goals, the contractor or subcontractor agrees to review all procedures relating to transfer, upgrading, downgrading and layoff to ensure that all such actions are taken without regard to age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex, consistent with the statutes and court decisions of the State of New Jersey, and applicable Federal law and applicable Federal court decisions.

The contractor shall submit to the public agency, after notification of award but prior to execution of a goods and services contract, one of the following three documents:

Letter of Federal Affirmative Action Plan

Approval; Certificate of Employee Information

Report; or

Employee Information Report Form AA-302 (electronically provided by the Division and distributed to the public agency through the Division's website at: http://www.state.nj.us/treasury/contract_compliance).

The contractor and its subcontractors shall furnish such reports or other documents to the Division of Purchase & Property, CCAU, EEO Monitoring Program as may be requested by the office from time to time in order to carry out the purposes of these regulations, and public agencies shall furnish such information as may be requested by the Division of Purchase & Property, CCAU, EEO Monitoring Program for conducting a compliance investigation pursuant to N.J.A.C. 17:27-1.1 et seq.

32. Insurance Requirements.

A. General Instructions. (1) The successful bidder shall not commence work under the Contract until he has obtained all insurance required under this section and such insurance has been approved by the Township, nor shall he allow any subcontractor to commence work on his subcontract until all similar insurance required of the subcontractor is obtained and approved by the Township. Any special insurance required by the Contract itself shall also be obtained by the successful bidder and his subcontractors and approved by the Township before any work is commenced.

(2) Certificates evidencing each insurance coverage shall be submitted by the successful bidder and his subcontractors to the Purchasing Agent and the Township Engineer within twenty-one (21) days after execution of the Contract. All such certificates shall be issued by an insurer acceptable to the Township of South Brunswick, authorized to transact business in the State of New Jersey, and have an A.M. Best & Co. rating of not less than A:VII, naming thereon the Township of South Brunswick as an additional insured. The certificates shall specifically state that the insurance company or companies issuing such insurance policies shall give the Township at least thirty (30) days written notice in the event of cancellation of, or material change in, any of the policies. If coverage on any certificates is shown to expire prior to completion of all terms of the Contract, a new certificate shall be furnished to the Township evidencing renewal of the coverage. All certificates of insurance shall clearly show the contract number.

(3) A performance bond shall be submitted for any self-insured coverage guaranteeing payment of losses and related investigations, claims administration and defense expenses.

B. Workers' Statutory Compensation Insurance and Employer's Liability Insurance. The successful bidder and his subcontractors shall take out and maintain for the life of the Contract the applicable statutory Workers' Compensation Insurance covering all employees. The successful bidder and his subcontractors shall also take out and maintain for the life of the Contract Employer's Liability Insurance with a minimum limit of \$500,000 for each accident and shall further include a waiver of subrogation and other employee liability insurance that may be required by the United States of America and the State of New Jersey.

C. Public Liability Insurance. The successful bidder shall take out and maintain for the life of the Contract such Public Liability Insurance as shall protect him against claims for damages resulting from bodily injury, including wrongful death, and property damage which may arise from operations under the Contract whether such operations be by himself or by any subcontractor or anyone directly or indirectly employed by either of them. The minimum acceptable limits of liability to be provided by such Public Liability Insurance are:

General Liability: \$1,000,000 per occurrence combined
single limit for bodily injury and
property damage.

Property Damage: \$1,000,000 per occurrence.

The Public Liability Insurance required herein shall include the following extended coverages:

- (1) The coverage shall be provided under a Commercial General Liability form of policy or similar thereto.
- (2) The property damage coverage shall include a Broad Form Property Damage Endorsement.
- (3) Contractual Liability coverage shall be included.
- (4) Protection Liability coverage shall be included to protect the successful bidder against claims arising out of operations performed by his subcontractors.
- (5) Products Liability and/or Completed Operations coverage shall be included.

Each subcontractor shall take out and maintain the same coverages, with the same extensions, as are required of the successful bidder.

D. Automobile Liability Insurance. The successful bidder and his subcontractors shall take out and maintain for the life of the Contract such Automobile Liability Insurance as shall protect him against claims for damages resulting from bodily injury, including wrongful death, and property damage which may arise from the operation of any owned, hired, or non-owned automobiles used by or for him in any capacity in connection with the carrying out of the Contract. The minimum acceptable limits of liability to be provided by such Automobile Liability Insurance shall be as follows:

Bodily Injury:	\$500,000 per occurrence.
Property Damage:	\$500,000 per occurrence.

E. Responsibility of the Contractor. The successful bidder and his subcontractors shall assume all responsibility for and save the Township harmless from any loss or damage to all materials, equipment and machinery involved under the Contract.

F. Builder's Risk Insurance. Where appropriate, the Township may purchase Builder's Risk Insurance and maintain same for the life of the Contract. Such Builder's Risk Insurance shall cover the structures of the partially completed project under construction and be in an amount equal to the Bid Price of the Contract. The insurance shall, at a minimum, insure against the perils of fire, vandalism, malicious mischief and collapse.

33. Worker and Community Right to Know. The manufacturer or supplier of a substance or mixture shall supply the Chemical Abstracts Service number of all the components of the mixture or substance and the chemical name to the Township to assure that every container bears a proper label at a Township facility. This complies with P.L. 1983, Chapter 315, Worker and Community Right to Know Act", subsection b. section 14. Further, all applicable Material Safety Data Sheets (MSDA), a/k/a hazardous substance fact sheet, must be furnished to the Township of South Brunswick.

34. When two or more bids are equal in all respects, and offer equal prices and are the lowest responsible bids or proposals the township may award the contract to the bidder whose response, in the discretion of the township, is the most advantageous, price and other factors considered.

35. Where applicable, if there is a discrepancy between the prices written in words and written in figures, the prices written in words shall govern. Where applicable, if there is a discrepancy whereby the unit price written in words or figures is less than the unit price shown in parentheses, i.e. (Note: not less than \$1.00 per unit), the unit price shown in parentheses shall govern. Where applicable, if there is a discrepancy in the Extended Total of any item, the correct total shall be determined by multiplying the estimated quantity by the unit price written in words and the resulting total shall govern. The correct Extended Total for each item shall then be added to obtain the "Bid Total" or "Total Base Bid" whichever is applicable.

36.

AMERICANS WITH DISABILITIES
Equal Opportunity for Individuals with Disability.

The CONTRACTOR and the OWNER do hereby agree that the provisions of Title II of the Americans With Disabilities Act of 1990 (the "ACT") (42 U.S.C. S12101 et seq.), which prohibits discrimination on the basis of disability by public entities in all services, programs, and activities provided or made available by public entities, and the rules and regulations promulgated pursuant thereto, are made a part of this contract. In providing any aid, benefit, or service on behalf of the OWNER pursuant to this contract, the CONTRACTOR agrees that the performance shall be in strict compliance with the Act. In the event that the Contractor, its agents, servants, employees, or subcontractors violate or are alleged to have violated the Act during the performance of this contract, the CONTRACTOR shall defend the OWNER in any action or administrative proceeding commenced pursuant to this Act. The Contractor shall indemnify, protect, and save harmless the OWNER, its agents, servants, and employees from and against any and all suits, claims, losses, demands, or damages, of whatever kind or nature arising out of or claimed to arise out of the alleged violation. The CONTRACTOR shall, at its own expense, appear, defend, and pay any and all charges for legal services and any and all costs and other expenses arising from such action or administrative proceeding or incurred in connection therewith. In any and all complaints brought pursuant to the OWNER grievance procedure, the CONTRACTOR agrees to abide by any decision of the OWNER which is rendered pursuant to said grievance procedure. If any action or administrative proceeding results in an award of damages against the OWNER or if the OWNER incurs any expense to cure a violation of the ADA which has been brought pursuant of its grievance procedure, the CONTRACTOR shall satisfy and discharge the same at its own expense.

The OWNER shall, as soon as practicable after a claim has been made against it, give written notice thereof to the CONTRACTOR along with full and complete particulars of the claim. If any action or administrative proceedings is brought against the OWNER or any of its agents, servants, and employees, the OWNER shall expeditiously forward or have forwarded to the CONTRACTOR every demand, complaint, notice, summons, pleading, or other process received by the Township or its representatives.

It is expressly agreed and understood that any approval by the OWNER of the services provided by the CONTRACTOR pursuant to this contract will not relieve the CONTRACTOR of the obligation to comply with the Act and to defend, indemnify, protect, and save harmless the OWNER pursuant to this paragraph.

It is further agreed and understood that the OWNER assumes no obligation to indemnify or save harmless the CONTRACTOR, its agents, servants, employees and subcontractors for any claim which may arise out of their performance of this Agreement. Furthermore, the contractor expressly understands and agrees that the provisions of this indemnification clause shall in no way limit the CONTRACTOR'S obligations assumed in this Agreement, nor shall they be construed to relieve the CONTRACTOR from any liability, nor preclude the OWNER from taking any other actions available to it under any other provisions of the Agreement or otherwise at law.

37. New Jersey Business Registration Requirements

N.J.S.A. 52:32-44 imposes the following requirements on contractors and all subcontractors that knowingly provide goods or perform services for a contractor fulfilling this contract:

1) the contractor shall provide written notice to its subcontractors to submit proof of business registration to the contractor;

2) prior to receipt of final payment from a contracting agency, the contractor must submit to the contracting agency an accurate list of all subcontractors or attest that none was used;

3) during the term of this contract, the contractor and its affiliates shall collect and remit, and shall notify all subcontractors and their affiliates that they must collect and remit to the Director, New Jersey Division of Taxation, the use tax due pursuant to the Sales and Use Tax Act, (N.J.S.A. 54:32B-1 *et seq.*) on all sales of tangible personal property delivered into this State.

A contractor, subcontractor or supplier who fails to provide proof of business registration or provides false business registration information shall be liable to a penalty of \$25 for each day of violation, not to exceed \$50,000 for each business registration not properly provided or maintained under a contract with a contracting agency. Information on the law and its requirements is available by calling (609) 292-9292.

All bidders must have a valid registration at time of award of contract.

Signature _____ **Date** _____

Printed Name & Title _____

SPECIFICATIONS FOR COLD WATER METERS 5/8" X 3/4" THROUGH 8" GENERAL SPECIFICATIONS

1. Manufacturer

Meters shall be new, first line meters of the manufacturer involved and must be manufactured within the United States. All meters shall be manufactured by Sensus

2. Guarantee

All meters and remote interface units shall be guaranteed against defects in workmanship and material for a minimum period of one (1) year from the date of shipment. All meters shall be covered by a time or gallons delivered guarantee as to delivery accuracy. All meters shall be covered by a maintenance plan fixing the cost of repair or replacement of measuring chambers or meters. No charge for the maintenance program shall be made until the Township exercises its right to the program. All proposals shall be accompanied by copies of the guarantees and maintenance plans.

3. Rejected Material

The manufacturer shall, at its own expense, replace or satisfactorily repair to new meter performance all meters and/or meter interface units rejected for failure to comply with these specifications.

4. Test Meter

Each bidder shall furnish at the time of bid one (1) 5/8" x 3/4" meter identical to the model bid at no cost to the Township for examination and testing. The Township shall not be responsible for damage to the meter during testing.

5. Quality and Unit Prices

The contract for furnishing cold water meters, 5/8" x 3/4" through 8", will be awarded on a unit price basis. The exact quantity of meters to be purchased under this contract cannot be determined; therefore, the quantity specified on the proposal sheet is an estimate only. The Township reserves the right to purchase any combination of meters up to the dollar value of the contract as awarded or subsequently amended.

6. Standards

Each meter furnished shall meet or exceed the latest version of AWWA standards as to size, performance and capacity or delivery for new meters. AWWA C-700 for 5/8" x 3/4" through 2" positive displacement meters, AWWA C-701 for 2" through 6" turbine (turbo) meters and AWWA C-702 for 2" through 8" compound meters.

7. Split Shipment

All water meters shall be shipped complete, ready for installation. Each meter and specified accessory parts shall be shipped in the same package.

8. Register

Each meter supplied shall be furnished with an electronic register as specified. Registers will be interchangeable with existing registers now in service in the Township and shall be affixed with an identification label. Registers will be interchangeable with existing registers now in service in the Township and shall be affixed with an identification label.

The register shall be of the straight reading type and have a test dial. It shall read in gallons and be capable of direct visual reading at the meter and by remote reading through a touchpad located externally from the meter. All reduction gearing shall be contained in a permanently, hermetically sealed, tamperproof enclosure made of corrosion resistant material. The register is to be secured to the upper main case by means of a locking device located in the interior of the meter. The register shall be tamperproof short of actual destruction.

The meter register shall be provided with three (3) terminal connections. The connection between the meter register and the external meter touchpad unit shall be accomplished using three terminals and three-conductor non-polarized cable. The register shall be capable of transmitting the meter reading and customer identification number directly to the meter touchpad unit.

9. Cable

Cable shall be three (3) conductor, 22 gauge solid conductor, vinyl covered cable. Twenty-five (25) feet of cable shall be allotted per meter. The cable shall be furnished on one thousand (1,000) foot spools for cutting to the desired length at the time of installation.

10. Meter Touchpad Unit

Each meter shall be provided with a separate meter touchpad unit that can be mounted at a remote location. The meter touchpad unit shall be as specified.

The touchpad shall be of sturdy, tamperproof, one-piece construction. The touchpad shall be compatible with the Touchprobe, Touchgun or Visual Reader, **model #3001**, as manufactured by Sensus Technologies. The touchpad shall be protected from the environment with watertight seals.

The touchpad shall not require a plug-in connection to complete the transmission of data. The meter identification number and the meter reading shall be transmitted to a data acquisition device by touching the gun or probe of the device to the external cover of the touchpad. The touchpad shall be provided with two (2) terminal connections to accept the two (2) conductors which connect it with the water meter register. The touchpad shall have provision to cover and seal the mounting screws to prevent tampering.

SPECIFICATION FOR 5/8" X 3/4" THROUGH 2" POSITIVE DISPLACEMENT METERS

1. Type

The meters shall be positive displacement, oscillating piston, magnetic drive. Meter shall be SR as manufactured by Sensus Technologies, Inc., or of equal quality.

2. Standards

All meters shall meet or exceed the AWWA standard C-700, latest revision, for new water meters as to size and length, performance and delivery or capacity.

3. Cases

All meters shall have an outer case with a measuring chamber in which the piston operates and this case shall be constructed of a lead free material. Frost bottoms, either lined or protected by non-corrosive treatment shall be provided in 5/8" x 3/4" and 1" meters. The 1-1/2" and 2" meters shall be lead free materials split case. All meters shall have cast on them, in raised characters, the size, model and direction of flow.

4. Serial Numbers Each meter shall have the serial number stamped either on the register box lid or on the main casing.

5. Magnetic Drive

Both the driver and driven magnets are to be sealed out of the path of the water so that neither magnet is operating in direct contact with the water. The use of a stuffing box is not permitted.

6. Measuring Chamber

The measuring chamber shall be made of suitable bronze or Rocksyn and shall not be cast as part of the outer case. The measuring chamber shall be fitted inside the outer case without the use of screws or locating pins. The upper and lower sections of the measuring chamber shall be held together by a snap joint. The chamber division plate shall be stainless steel, either polished finish or rubber covered. All chambers will be compatible with existing meters in the Township (interchangeable).

7. Piston

The pistons shall be composed of hard, vulcanized rubber, be accurately machined and shall operate smoothly and freely in the measuring chamber.

8. Strainer

Each meter shall be provided with an integral strainer. Strainers shall be made from rigid, perforated sheet corrosion-resistant material, shall fit snugly and be easily removable. Straining area shall be one hundred percent (100%).

9. External Bolts And Washers

All external meter bolts and washers shall be corrosion resistant and be designed for easy removal after lengthy service. Washers may be either ferrous or non-ferrous. Ferrous washers must be properly treated for corrosion resistance. External bolts shall thread directly into the outer case without the use of nuts.

10. Connections

The 5/8" x 3/4" and 1" meters shall have threaded connections. The 1-1/2" and 2" meters shall be flanged or threaded connections. (See note below).

11. Accessory Items

Each 5/8" x 3/4" and 1" meter shall be furnished complete with the following:

- A. One (1) meter touchpad unit
- B. Twenty-five (25) feet of cable

Each 1-1/2" and 2" meter shall be furnished complete with the following:

- A. Two (2) companion flanges or two (2) couplings
- B. Two (2) flange gaskets or two (2) washers
- C. Four (4) each: nuts, bolts and washers
- D. One (1) meter touchpad unit
- E. Twenty-five (25) feet of cable

12. Register

Each meter supplied shall be furnished with an electronic register as specified. Registers will be interchangeable with existing registers now in service in the Township and shall be affixed with an identification label.

The register shall be of the straight reading type and have a test dial. It shall read in gallons and be capable of direct visual reading at the meter and by remote reading through a touchpad located externally from the meter.

All reduction gearing shall be contained in a permanently, hermetically sealed, tamperproof enclosure made of corrosion resistant material.

The register is to be secured to the upper main case by means of a locking device located in the interior of the meter. The register shall be tamperproof short of actual destruction.

The meter register shall be provided with three terminal connections. The connection between the meter register and the external meter touchpad unit shall be accomplished using three (3) terminals and three (3) conductor non-polarized cable. The register shall be capable of transmitting the meter reading and customer identification number directly to the meter touchpad unit.

NOTE:

Some 1-1/2" and 2" meters may be purchased with couplings rather than flanges. See bid items 3-A and 4-A.

SPECIFICATIONS FOR 2" THROUGH 8" TURBINE (TURBO) METER

1. Type And Size

Turbo meters are to be sized by maximum gallons per minute as well as size. Continuous maximum operating capacity in gallons per minute (gpm) shall be as specified herewith.

2" - 160 gpm 3" - 350 gpm 4" - 1,000 gpm

6" - 2,000 gpm 8" - 3,500 gpm

All sizes shall be capable of exceeding their continuous maximum operating capability by twenty-five percent (25%) for intermittent operation.

2. Standards

All meters shall meet or exceed the AWWA standards C-701, latest revision, for new meters as to size and length, performance and delivery or capability.

3. Casing

The casing shall be of suitable lead free material and shall include the flow straightening vane assembly.

4. Measuring Chamber And Register

The measuring chamber assembly shall include as a complete unit: a non-lead measuring chamber, a rotor, a right angle magnetic drive, an adjusting vane for calibration and a hermetically sealed register. The measuring chamber assembly shall not be removable with the meter in service. All chambers shall be compatible with existing meters in the Township (interchangeable).

5. Strainer

A separate strainer shall be available as an option to the user if desired. Said strainer assembly shall bolt directly to the main case and be constructed of lead free material with stainless steel screen.

2" - 4" turbos (models #W160-DRS, W350-DRS, W1000-DRS) will have integral strainers.

6. Accessory Items

Turbo meters shall be furnished complete with the following:

- A. Two (2) companion flanges
- B. Two (2) flange gaskets
- C. Required number of nuts, bolts and washers
- D. One (1) meter touchpad unit

Each 6" meter shall be furnished complete with the following:

- A. Two (2) companion flanges
- B. Two (2) flange gaskets
- C. Required number of nuts, bolts and washers
- D. One (1) meter touchpad unit

SPECIFICATION FOR 2" THROUGH 6" SINGLE REGISTER COMPOUND METERS

1. Type And Size

Single totaling register piston style compounds shall be available as an individual unit in sizes 3" through 6". The 3" through 6" sizes shall be furnished with flanges.

2. Standards

All meters shall meet or exceed the AWWA standard C-702, latest revision, for new meters as to size and length, performance and delivery or capacity.

3. Casing

Casing is to be suitable lead free material for both upper and lower casings with a lead free material register box and lid.

4. Strainer

A separate strainer assembly shall be available as an option to the user if desired. Said strainer assembly shall bolt directly to the main case in the 2" through 6" sizes.

5. Register

The positive displacement and current sides shall record over the flow range through a single register by means of a sealed coordinator unit located directly below the register.

6. Accessory Items

Each water meter, 3" through 6", shall be furnished complete with the following:

- A. Two (2) companion flanges
- B. Two (2) flange gaskets
- C. Required number of nuts, bolts and washers
- D. One (1) meter touch read unit

SPECIFICATIONS FOR TOUCHREAD PITLID (TR/PL) REGISTER AND REMOTE MODULE

The register must be of the straight reading type and have a full test dial on the face of the register. It shall read in cubic feet, gallons or metric units and be capable of direct visual reading both at the meter and by remote reading by utilizing an interrogation device, which can store the meter reading and register identification number in a solid state memory and/or display the meter reading and register ID on a visual display. All reduction gearing shall be contained in a permanently hermetically sealed, tamperproof enclosure made of a corrosion resistant material. The register is to be secured to the main case by means of a locking device located in the interior of the meter so the register cannot be removed externally by non-utility personnel. The meter register shall have three (3) terminal connections. The connection between the meter register and the remote pitlid module shall be accomplished with the use of all three (3) terminal connections by using 3-conductor cable. This will permit the register to be converted to Automatic Meter Reading (AMR) in the future. The register shall transmit the meter reading and register identification number directly to the pitlid when interrogated by the interrogation device. To ensure a reliable interrogation system in the moisture environment of a meter pit or vault, the pitlid-mounted module shall be housed in a separate enclosure with factory sealed connections with an environmentally approved epoxy at both the pitlid module and register terminal connections. This shall be vendor provided to prevent moisture penetration and eliminate the need for field sealing requirements.

Register output data format for Automatic Meter Reading (AMR) shall be 7-bit ASCII (American Standard Code for Information Interchange) digital, plus an even parity bit. The first character is ASCII "R" followed by a 4-digit or 6-digit meter reading, followed by an 8-digit meter ID number. The 4-digit or 6-digit meter reading is to be interrogated from the register by direct contact of the register's odometer wheels to a circuit board encoding the meter reading. Data is to be positive true. The register's ASCII digital output is to be capable of interfacing directly to an AMR transponder to transmit data via cable TV, telephone or power lines to a central location.

The pitlid module shall be of a sturdy and tamperproof construction. The module shall allow for ease of installation on any pitlid (plastic, cast iron or concrete) by cutting an appropriately placed 1-3/4" hole in the lid. The entire pitlid module shall be constructed of a suitable synthetic polymer for long service life under normal operating conditions and be suitable for installation in vehicle traffic areas. The module shall be compatible with the TouchProbe of either the Solid State Interrogator or Visual Reader and be capable of reading when placed in any position on the TouchPad (i.e. without special alignment.) The meter shall be capable of being interrogated through the TouchPad when the TouchPad is submerged in water or covered with up to 3/16" of debris.

SPECIFICATION FOR METER MODERNIZATION PLANS

1. Compound Meters

The vendor shall provide an exchange program through which reconditioned single register high performance compound meters of like size and make and meeting the requirement for new meters in these specifications, shall be provided in replacement of meters taken out of service by the Township.

The Township will provide used meters for exchange that have serviceable (i.e. not plugged, brazed nor cracked) upper and lower body shells; and will be sent prepaid to a location designated by the vendor.

Exchange meters provided by the vendor shall be shipped FOB factory or warehouse with full freight allowed.

See bid item #15 on Proposal Page 3.

2. Turbo-Meters

The vendor shall provide an exchange program through which factory re-built and calibrated chambers are available of like size and make, which meets A.W.W.A. new meter standards. The Township shall ship old chamber prepaid to a location designated by the vendor.

Exchange chambers provided by the vendor shall be shipped FOB factory or warehouse with full freight allowed.

Bids shall be provided for chambers with direct reading, generator type remote (see bid item #16 on proposal page 15) and for meter chambers with high-speed pick-up. (See bid item #17 on proposal page 15.)

3. Scrape-Meter Trade-In

Bidders shall provide trade-in values for the Township's scrap meters. The Township reserves the right to trade or not to trade its old meters at its discretion. Trade-in price is not included in calculating the low bid.

SOUTH BRUNSWICK TOWNSHIP

AFFIRMATIVE ACTION QUESTIONNAIRE

SUPPLEMENT TO BID SPECIFICATIONS FOR PROCUREMENT AND SERVICE CONTRACTS

No firm may be issued a contract unless they comply with the Affirmative Action Regulations of P.L. 1975, C. 127 (N.J.A.C.17:27).

All firms: An employee information report must be completed and returned prior to or at the time of an award. An Affirmative Action Plan approved by the Federal Government or the State of New Jersey Treasurer is an acceptable alternate.

FILL IN THE APPLICABLE BOX BELOW. YOUR BID WILL BE ACCEPTED EVEN IF YOU ARE NOT IN COMPLIANCE AT THIS TIME. IF, HOWEVER, YOU ARE THE LOWEST RESPONSIBLE BIDDER AND HAVE NOT YET COMPLIED WITH THE AFFIRMATIVE ACTION REGULATIONS, YOU WILL BE SENT THE AFFIRMATIVE ACTION DOCUMENT FOR COMPLETION PRIOR TO AWARD. YOU MUST RETURN THE COMPLETED DOCUMENT TO US WITHIN SEVEN DAYS AFTER YOU RECEIVED SAME.

ALL FIRMS:

A FEDERAL LETTER OF APPROVAL HAS BEEN RECEIVED.(PROOF MUST BE SUBMITTED WITH BID.)

OR

A CURRENT STATE OF NEW JERSEY "CERTIFICATE OF EMPLOYEE INFORMATION REPORT OF APPROVAL" HAS BEEN RECEIVED.
(COPY OF SAME MUST BE SUBMITTED WITH BID.)

OR

AN AFFIRMATIVE ACTION EMPLOYEE INFORMATION REPORT (FORM AA-302 MUST BE SUBMITTED, AS INDICATED ON SAID FORM.
(SOUTH BRUNSWICK TOWNSHIP WILL FORWARD YOU THIS FORM, IF YOU ARE A SUCCESSFUL BIDDER.)

I CERTIFY THAT THE ABOVE INFORMATION IS CORRECT TO THE BEST OF MY KNOWLEDGE.

Firm Name _____

Signature _____

Title _____

Date _____

STATEMENT OF OWNERSHIP
(OWNERSHIP DISCLOSURE CERTIFICATION)

N.J.S.A. 52:25-24.2 (P.L. 1977, c.33, as amended by P.L. 2016, c.43)

**This Statement Shall Be Included with
All Bid and Proposal Submissions**

Name of Business: _____

Address of Business: _____

Name of person completing this form: _____

N.J.S.A. 52:25-24.2:

"No corporation, partnership, or limited liability company shall be awarded any contract nor shall any agreement be entered into for the performance of any work or the furnishing of any materials or supplies, unless prior to the receipt of the bid or proposal, or accompanying the bid or proposal of said corporation, said partnership, or said limited liability company there is submitted a statement setting forth the names and addresses of all stockholders in the corporation who own 10 percent or more of its stock, of any class, or of all individual partners in the partnership who own a 10 percent or greater interest therein, or of all members in the limited liability company who own a 10 percent or greater interest therein, as the case may be.

If one or more such stockholder or partner or member is itself a corporation or partnership or limited liability company, the stockholders holding 10 percent or more of that corporation's stock, or the individual partners owning 10 percent or greater interest in that partnership, or the members owning 10 percent or greater interest in that limited liability company, as the case may be, shall also be listed. The disclosure shall be continued until names and addresses of every noncorporate stockholder, and individual partner, and member, exceeding the 10 percent ownership criteria established in this act, has been listed.

To comply with this section, a bidder with any direct or indirect parent entity which is publicly traded may submit the name and address of each publicly traded entity and the name and address of each person that holds a 10 percent or greater beneficial interest in the publicly traded entity as of the last annual filing with the federal Securities and Exchange Commission or the foreign equivalent, and, if there is any person that holds a 10 percent or greater beneficial interest, also shall submit links to the websites containing the last annual filings with the federal Securities and Exchange Commission or the foreign equivalent and the relevant page numbers of the filings that contain the information on each person that holds a 10 percent or greater beneficial interest."

The Attorney General has advised that the provisions of N.J.S.A. 52:25-24.2, which refer to corporations, partnerships, and limited liability corporations apply to all forms of business entities, including limited partnerships, limited liability partnerships, and Subchapter C and S corporations (Attorney General Opinion 02-0018, January 23, 2002 and 15-0021, May 8, 2015).

This Ownership Disclosure Certification form shall be completed, signed and notarized.

Failure of the bidder/proposer to submit the required information is cause for automatic rejection of the bid or proposal

Part I

Check the box that represents the type of business organization:

Sole Proprietorship (skip Parts II and III, sign and notarize at the end)

Non-Profit Corporation (skip Parts II and III, sign and notarize at the end)

Partnership Limited Partnership Limited Liability Partnership

Limited Liability Company

For-profit Corporation (including Subchapters C and S or Professional Corporation) Other (be specific): _____

Part II

I certify that the list below contains the names and addresses of all stockholders in the corporation who own 10 percent or more of its stock, of any class, or of all individual partners in the partnership who own a 10 percent or greater interest therein, or of all members in the limited liability company who own a 10 percent or greater interest therein, as the case may be.

OR



I certify that no one stockholder in the corporation owns 10 percent or more of its stock, of any class, or no individual partner in the partnership owns a 10 percent or greater interest therein, or that no member in the limited liability company owns a 10 percent or greater interest therein, as the case may be.

Sign and notarize the form below, and, if necessary, complete the list below.

(Please attach additional sheets if more space is needed):

Name: _____

Name: _____

Address: _____

Address: _____

Name: _____

Name: _____

Address: _____

Address: _____

Name: _____

Name: _____

Address: _____

Address: _____

Name: _____

Name: _____

Address: _____

Address: _____

Name: _____

Name: _____

Address: _____

Address: _____

Name: _____

Name: _____

Address: _____

Address: _____

Part III - Any Direct or Indirect Parent Entity Which is Publicly Traded:

“To comply with this section, a bidder with any direct or indirect parent entity which is publicly traded may submit the name and address of each publicly traded entity and the name and address of each person that holds a 10 percent or greater beneficial interest in the publicly traded entity as of the last annual filing with the federal Securities and

Exchange Commission or the foreign equivalent, and, if there is any person that holds a 10 percent or greater beneficial interest, also shall submit links to the websites containing the last annual filings with the federal Securities and Exchange Commission or the foreign equivalent and the relevant page numbers of the filings that contain the information on each person that holds a 10 percent or greater beneficial interest.”

Pages attached with name and address of each publicly traded entity as well as the name and address of each person that holds a 10 percent or greater beneficial interest.

OR

Submit here the links to the Websites (URLs) containing the last annual filings with the federal Securities and Exchange Commission or the foreign equivalent.

AND



Submit here the relevant page numbers of the filings containing the information on each person holding a 10 percent or greater beneficial interest.

Subscribed and sworn to before me this ____ day of _____, 2 ____.

(Notary Public)

My Commission expires:

(Affiant)

(Print name of affiant and title if applicable)

(Corporate Seal if a Corporation)

TOWNSHIP OF SOUTH BRUNSWICK

BID PROPOSAL FORM

Contract Extension

Any Contract for services, the statutory length of which is for two years or less, may be extended for no more than one two-year or two one-year extensions, but in no event for more than a total of five consecutive years. Any such extension can only be by resolution of the Township Council upon finding by the Council that the services already provided have been performed in an effective and efficient manner. Any price change included, as part of an extension shall be based upon the price of the original contract as cumulatively adjusted pursuant to any previous adjustment preceding the most recent quarterly calculation available at the time the contract is renewed. All terms and conditions of the contract shall remain substantially the same. Any such extension of the contract shall be done prior to the expiration of the contract.

The undersigned bidder declares he has read the notice to bidders, instructions to bidders and specifications attached, that he has determined the conditions affecting the bid and agrees, if this proposal is accepted, to furnish and deliver the following for the contract period of two (2) years commencing from the date of the award for:

COLD WATER METER: 5/8" x 3/4" THROUGH 8"

All meters will be furnished with the required number of bolts, gaskets, threaded couplings/companion flanges, touchpad and 25 feet of three conductor 22 gauge vinyl covered wire except as specified otherwise. All meters will be furnished with factory test certifications.

ITEM	ESTIMATED QUANTITY	DESCRIPTION OF METERS	UNIT PRICE	EXTENSION
1.	100	5/8"x3/4" Positive Displacement (less threaded couplings) (see page 4 of Technical Specifications)	\$ _____	\$ _____
2.	100	1" Positive Displacement	\$ _____	\$ _____
3.	20	1-1/2" Compund - flanged	\$ _____	\$ _____
3a.	5	1-1/2" Positive Displacement -internal pipe-thread connection	\$ _____	\$ _____
3b.	20	1-1/2" Turbo Model W120-DR	\$ _____	\$ _____
4.	20	2" Positive Displacement-flanged	\$ _____	\$ _____
4a.	10	2" Positive Displacement-internal pipe-thread connection	\$ _____	\$ _____
4b.	10	2" Positive Displacement-R)	\$ _____	\$ _____
5.	20	2" Turbo-less Strainer	\$ _____	\$ _____

ITEM	ESTIMATED QUANTITY	DESCRIPTION OF METERS	UNIT PRICE	EXTENSION
6.	2	3" Compound-less strainer	\$ _____	\$ _____
7.	1	3" Turbo-less Strainer	\$ _____	\$ _____
8.	2	4" Compound-less strainer	\$ _____	\$ _____
9.	2	4" Turbo-less strainer	\$ _____	\$ _____
10.	1	6" Compound-less strainer	\$ _____	\$ _____
11.	1	6" Turbo-with strainer	\$ _____	\$ _____
12.	1	8" Turbo-with strainer	\$ _____	\$ _____

13. Add on for TR/PL head assembly as manufactured by Sensus Technologies, Inc. See TR/PL specification sheet.

1	1-1/2" S.R.	\$ _____	\$ _____
1	2" S.R.	\$ _____	\$ _____
1	2" Turbo	\$ _____	\$ _____
1	2" Compound	\$ _____	\$ _____
1	3" Turbo	\$ _____	\$ _____
1	3" Compound	\$ _____	\$ _____
1	4" Turbo	\$ _____	\$ _____
1	4" Compound	\$ _____	\$ _____
1	6" Turbo	\$ _____	\$ _____
1	6" Compound	\$ _____	\$ _____
1	8" Turbo	\$ _____	\$ _____

ITEM	ESTIMATED QUANTITY	DESCRIPTION OF METERS	UNIT PRICE	EXTENSION
14.		CMP for Sensus single register compound water meters.		
	1	3" Compound	\$ _____	\$ _____
	2	4" Compound	\$ _____	\$ _____
	2	6" Compound	\$ _____	\$ _____
15.		MMP-1 for Sensus turbo water meters.		
	6	2" Turbo	\$ _____	\$ _____
	3	3" Turbo	\$ _____	\$ _____
	3	4" Turbo	\$ _____	\$ _____
	3	6" Turbo	\$ _____	\$ _____
	4	8" Turbo	\$ _____	\$ _____
16.		MMP-2 for Sensus propeller meter with high speed pickup		
	2	10" Propeller Meter	\$ _____	\$ _____
17.	1	AMR System Multiread System		
	1	8 Channel	\$ _____	\$ _____
	1	4 Channel	\$ _____	\$ _____
	1	2 Channel	\$ _____	\$ _____
	1	Gel Caps/Thousand	\$ _____	\$ _____
18.	1	510M – MXU (House)	\$ _____	\$ _____
	1	520M – MXU (Pit)	\$ _____	\$ _____
19.	1	510M – Touch Coupler (House)	\$ _____	\$ _____
	1	520M – Touch Coupler (Pit)	\$ _____	\$ _____
GRAND TOTAL			\$ _____	\$ _____

The Township reserves the right to trade or not to trade at its discretion. Bid values are not used to calculate the low bid.

Any questions regarding the technical specifications, please call Tim Lesko, Water Department Supervisor, at 732-329-4000, extension 7262.

Accompanying this proposal is a certified check in the amount of \$_____n/a_____, or a bid bond in the amount of \$_____na_____, payable to the Township of South Brunswick which is to be forfeited as liquidated damages if, in the event that this proposal is accepted, the undersigned shall fail to execute the contract or to furnish satisfactory bond as required.

Company_____

Address_____

Telephone_____

By_____

(Signature)

Name – Type or Print

Witness_____Title_____

Date_____

On the attached sheet, please list three companies with whom your company has had business with in the past year and submit with bid proposal.

REFERENCES

Name: _____

Contact Name: _____

Address: _____

Phone Number: (_____) _____

Name: _____

Contact Name: _____

Address: _____

Phone Number: (_____) _____

Name: _____

Contact Name: _____

Address: _____

Phone Number: () _____

**TOWNSHIP OF SOUTH BRUNSWICK
BID DOCUMENT CHECKLIST**

**Required by
OWNER**

**Read, Signed
& Submitted**

Stockholders Disclosure Certification

Non-Collusion Affidavit

Bid Proposal Form

Affirmative Action Questionnaire

Non-Conflict of Interest

Public Works Contractor Registration

**Bid Guarantee
(with Power of Attorney for full amount of Bid Bond)**

**Endorsement of Surety
(with Power of Attorney for full amount of Bid Price)**

Reviewed

Business Registration Certificate

Prevailing Wage

Americans with Disabilities Act Language (Mandatory)

Affirmative Action Language (Mandatory)

This form need not be submitted. It is provided for bidder's use in assuring compliance with all required documentation